PS

THE PREVENTIVE MAINTENANCE MONTHLY

INDEX

Issues 164–169

[Jul-Dec 1966]

PS THE PREVENTIVE MAINTENANCE MONTHLY

INDEX NO. 14
to
ISSUES 164-169

(July-December 1966)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels by the "Pin-Point" distribution method.

Within limits of availability, older issues may be obtained direct from PS Magazine, Fort Knox, Kentucky, 40121.

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:

DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 164 to 169 INCLUSIVE

	PS	Page
A		
AIR CLEANER HOSE		
10-HP and 20-HP Mil Std engines	164	65
AIR COMPRESSOR		
Davey 250 CFM		
Correct operation	167	54
Pre-operation and start	168	56
Joy 250 CFM		
Correct operation	167	54
Pre-operation and start	168	56
AIRCRAFT, ARMY		
Fixed Wing		
U-1A (Otter)		
Magneto--Timing check	165	40
U-6 (Beaver)		
Propeller--Lube properly	168	23
Spark plug insert cleaner--Make cleaning tool	168	22
U-8 (Seminole)		
Control Cable Adjustment--No test flight needed	164	25
Trouble-shooting--Talk it over with other mechanics	169	38
VTOL and STOL Aircraft		
OV-1 (Mohawk)		
Autopilot--Prevent damage to flight controller	165	41
Seat Covers--Adjustment of	165	37
Rotary Wing		
UH-1 (Iroquois)		
Chip Detectors--Use in Gear Boxes	164	24
Helical Extension Spring--Proper attachment	165	39
Inspections--Be Your Own Inspector (PMD)	167	10
Maintenance Hoist--Proper use of	168	20
Rotor Blades, Main--Ship only repairables	169	49

	PS	Page
AIRCRAFT, ARMY (Cont'd)		
Rotary Wing		
UH-1A, B (Iroquois)		
Torque--Use table XVI in TM 55-405-2	168	65
UH-1B (Iroquois)		
Main Rotor (540)--Clamping nut tool	165	38
OH-13 (Sioux)		
Rubber Engine Mounts--Clean, preserve	168	27
OH-23 (Raven)		
FM & UHF antenna leads look alike in "G" model.	164	27
CH-37 (Chinook)		
Cargo hook--Make static electric discharge probe.	168	26
CH-47 (Chinook)		
Windshields Plastic--Correct cleaning procedures.	166	16
AIRCRAFT, ARMY, GENERAL		
Badge, Aircraft Crewman's--See AR 672-5-1	169	65
Cowling--Make stand for protection of	168	25
First Aid Kit--Use of inspection tag	164	23
Forms		
Check DA Pam 310-4 to determine need for 2408-5 on components	168	27
Filling out 2408-5 on rescinded modifications	168	19
Fuel--The color tells the grade per TB AVN 2	164	25
Ground Handling--Moor aircraft properly	164	22
Magnesium Parts--FSN for chrome pickle solution	169	43
Magneto--Timing check	165	40
Oil Cans--Use plastic lids to cover open qt cans	164	28
Oil Drain Cart--Make locally	169	40
Publications--Use class number to track down pubs listed in DA PAM 310-4	168	24
Radio Call Numbers--Method of determining per TB AVN 7	164	26
Radio call numbers--Take from A/C serial number	168	24
Restraint Equipment--Service life of 5 years	169	41
Spark plug insert cleaner--Make cleaning tool	168	22
Spark Plugs--Use TM 9-4910-422-12 for kit info	168	23
Tapes--Listing for use on Aircraft plumbing	169	42
Tools		
General Mechanic--Use thin wall type	169	37
Torque		
General principles of and formula for applying.	168	46
Use maintenance pub table or TM 55-405-2.	168	65
Trouble-shooting--Talk it over with other mechanics	169	38
Vehicle Work Platform for Field Use	165	37

	PS	Page
ALCOHOL		
Mixing with diesel fuel	168	59
AMMUNITION		
M62 (GMCS)--Use only this with M149 subcaliber device.	166	59
M82, 7.62-mm blanks for M14's & M60's-- Never tamper with it	169	22
AMPHIBIOUS		
Larc V and XV		
Drive Shafts--Mark lube fittings	165	64
Filter Unit--Replacement	165	64
ANTENNA GROUP AN/ARA-31		
AT-624A/AR--Antenna element check	169	48
ARTILLERY, GENERAL		
Don't use handspike as cleaning rammer	169	19
AVIONICS		
AN/ARA-31--Antenna element check	169	48
ARC-44 & ARC-45 --Antenna leads misrouted in OH-23G tail boom	164	27
C-1611 ( )/AIC Intercommunication control set Use plastic protector	169	49
Correct leaky SAS in CH-47	166	15

B

BATTERIES		
Cable-to-clamp connection	166	22
BEST OF THE MONTH	168	1
"BOOMERANG", Reparable Return	169	64
BRAKE		
Air-trailer hose hitch hiker	167	39
BREECHBLOCK		
Sliding Wedge--2-Man check using TB 9-1000-235-12	169	18

C

CABLES		
AN/VIA-1 Intercom--How to order cable parts	169	55
WM-85/U--Clear from helicopter ramp	165	41
CAMERA		
KA-30A--Film handling in cold weather	169	56

	PS	Page
CANVAS COVER		
For M577 Auxiliary Generator	166	65
Wedge hook for securing tarpaulin	168	45
CARBURETORS		
Choke and throttle cable care	165	65
CARRIER, CARGO, M116		
Transmission oil level check	167	41
CARRIER, COMMAND POST, M577		
How to use rack parts	167	42
CARRIER, COMMAND POST M577/M577A1		
Generator rod protector	169	13
CARRIER, LIGHT WEAPONS, M274		
Starting cable adjustment	164	20
CARRIER, LIGHT WEAPONS, M274A1		
Starting cable adjustment	164	20
CARRIER, PERSONNEL, ARMORED M113		
Ignition coil kit	165	65
CARRIER, PERSONNEL, M113 FAMILY		
FSN for air cleaner shell	169	65
CARRIER, PERSONNEL, M113A1 FAMILY		
How to use steer handles	167	44
CARRIER, RECON, M114A1		
Power cupola tips	165	42
CHAINS, TIRE		
Hook, Swivel Type--Secures cross chains	169	23
CLEANING TOOLS		
XM16E1 Rifle--Tips on use	166	56
COMPASSES, LUMINOUS		
Safe Handling & Storage--TB 5-6600-227-15/1	164	65
COMPRESSORS		
AN-M4--Walter-Kidde dipstick fix	166	63
CRANKCASE		
Oil Level--When too low	164	16

D

DECONTAMINATION		
Portable decon, keep holder empty	168	55

E

EIR--Send in	164	1

	PS	Page
ELECTRICAL CONNECTORS		
C-980/U Audio connector--Protect with cap	169	55
ELECTRICAL SYSTEM (WHEELED VEHICLE)		
Turn Signal System--Troubleshooting	165	55
ENGINE, MILITARY STANDARD		
1-1/2 and 3 HP, Correct spark plugs	164	13
10 HP & 20 HP model air cleaner hoses	164	65
EQUIPMENT RECORDS		
Appendix II Addresses--Use to send DA Forms 2407, 2407-1, 2408-3, 2408-7 and 2408-8	166	62
Historical		
DA Form 2408-1--Daily	168	51
DA Form 2408-10--For components	169	58
DA Form 2408-13--Status	166	18
DA Form 2409 for electronics	165	61
Maintenance		
DA Form 2404--How to use	167	49
EQUIPMENT SERVICEABILITY CRITERIA		
Not Replacement Guide	169	61

F

FILTER UNIT, GAS PARTICULATE, M8A2		
No Serial Numbers	165	64
Remove When Cleaning	168	63
FORMS, DA, DD, SF, ETC.		
DA Form 12-31--Used to order airdrop of equipment publications	167	65
DA Form 2062--Sign last page of H/R	165	60
DA Form 2409 for electronics	165	61
DA Form 2527--Figuring demands	166	60
DA Form 3122 replaces DD Form 1150	165	60
DD Form 314		
For major components	166	24
Indicating type of lube service	166	24
"L" and "S" services at same time	166	24
Pencilled entry erased	166	24
Responsibility for maintaining	166	24
"S" Service lubing	166	24
Separate responsibility	166	24
DD Form 1150 replaced	165	60
Send in EIR (DA Form 2407)	164	1
Signing DA Form 10-102	166	62

	PS	Page
FRONT LOADER		
Clark 175A-M23--Get right bucket tooth	168	64
FUEL		
Alcohol and diesel fuel	168	59
Diesel--Keep it clean	169	62
FUELING		
Tactical wheeled vehicles--Only to FULL mark	164	18
FUZE SETTERS		
M63--For new type mechanical-time fuzes	166	55
XM34--Temporary till M63's in BIIL	166	55

G

GENERATOR, 28V. DC		
Cover for 4.2KW on M577	166	65
GENERATOR SET		
Auto-Lite and Delco-Remy--Installing pulley	164	14
Portable--Operation & Care	164	2
Removed from tool sets and kits	164	37
Tarp for PU-619/M	169	65
GENERATOR, STEWART-STEVENSON, 45KW		
Starter, New--No cold starting heater line needed	169	65
GENERATOR, 3KW WISCONSIN ENGINE MAENLD		
Urgent MWO	169	65
GENERATOR, WINPOWER		
Model D15H18Z--A good generator	167	1
GUN, MACHINE, M2, 50-CAL		
Be Your Own Inspector	168	2
Cupola Mounted		
PM Jobs--Do 'em right every time	169	16
Headspacing and timing procedures		
for all types of M2's	165	20
GUN, MACHINE, 7.62-MM, M60		
Buffer assembly cover should be in right position	167	9
GUN, MACHINE, GENERAL		
Mounts--Combat PM--Paint 'em, but carefully	169	20
GUN, SELF-PROPELLED. 175-MM, M107		
Fire control rheostat care	166	54
FSN for radiator cap	169	6
FSN's for starter relays	169	14

H

HANDSET
FSN for O-ring 166 8
H-33/PT
Care for CX-1574/U cable 169 52
HAWK
BCC--Keep air conditioner filter clean 169 27
Launcher
Remove battered air duct honeycomb element 169 26
Loader-Transporter
Beam Pins FSN 165 65
XM501E2--Make sure transfer arm limit switch wiring is correct 169 25
XM501E2--Spring pins for universal joints are in -20P 169 25
XM501E2--Starter lever linkage setscrew should be tight 169 24
HEADSETS
H-63/U--Hard to replace 166 8
HEATER, PERFECTION, MODEL MF510
FSN for parts kit 169 15
HEATER, PERSONNEL
Multifuel--For M109A2, M109A3, M185A2 and M185A3 Vans 166 62
HELMET LINER
Suspension System--Two types not interchangeable 169 64
HOSE
Trailer, fix to stop cuts 167 39
HOWITZER, GENERAL
Sliding Wedge Breechblock--2-Man check using TB 9-1000-235-12 . . . . . 169 18
HOWITZER, SELF-PROPELLED, 105-mm, M108
Fire control rheostat care 166 54
HOWITZER, SELF-PROPELLED, 155-MM, M109
Fire control rheostat care 166 54
HOWITZER, SELF-PROPELLED, 8" M110
Fire control rheostat care 166 54
FSN for radiator cap 169 6
FSN's for starter relays 169 14

	PS	Page

I

INFRARED SIGHTING EQUIPMENT
ECOM responsible for infrareds 166 63
INSPECTION
Be Your Own Inspector
Gun, Machine, M2, 50-cal 168 2
M2, .50-cal machine gun 168 2
M107 Gun and M110 Howitzer 166 37
Portable field electric generators 164 2
Tank, M60 and M60A1 (Part 2) 164 52
CMMI Handbook, DA PAM 750-10 . . . . . 168 65

L

LARC V AND XV (See AMPHIBIOUS)
LIFE PRESERVER, VEST, PNEUMATIC
B-7 and underarm model CO_2 cartridges 164 28
CO_2 Cartridge list by types 168 59
LUBRICATION
Engine--Crankcase oil level 164 16

M

MAINTENANCE
Keep Equipment Ready 166 1
Operator Participation 169 1
MAINTENANCE AWARDS 168 1
MASK
Protective Mask, M25A1, M14-Series
no inserts for specs 166 64
METASCOPE
(Polan) Batteries--New FSN 167 65
MODIFICATION WORK ORDER
Engine, vehicle--How to tell 167 40

	PS	Page
MORTAR, SELF-PROPELLED, M106		
MWO for sight arm	169	19

N

NIGHT VISION EQUIPMENT		
ECOM responsible for infrareds	166	63
NIKE HERCULES		
Launcher		
Check distribution box connector plug	164	39
Keep oil reservoir clean	164	39
Make tool to remove locking wedge adjuster	164	38
Remove coding tape from hydraulic lines	164	42
Right way to install downlock limit switch cover	164	38
Use aluminum lacquer on racks	164	42
Missile		
Leave ram pressure probes alone	164	65
RC Van--Don't lube blower motors	164	43
Simulator Station, AN/MPQ-T1		
Adjust wiring harness clamp	164	40
Install C1 capacitor right way	164	41
Shouldn't hear range servo motor	164	41
Vans		
Luminous lettering on dials--Support has to renew it	165	65
Metal grill replaces glass lens	164	43

O

OIL		
Engine		
Change for winter	168	42
Crankcase level	164	16

P

PAINT		
Paint lifting shackle and sling point pins	166	23

	PS	Page
PAINT, ELECTRONIC EQUIPMENT		
Touchup	167	48
PARACHUTES		
Recovery--Unsnag w/o knife	164	27
PUBLICATIONS		
DA Pam 750-10--CMMI	168	65
EIR Digests--How to order	165	62
ESC's not replacement guide	169	61
TB 5-6600-227-15/1--Luminous compasses	164	65
TM 3-4230-205-15, C2, M11 Decon	168	55
Unit Identification Codes		
AR 18-50--Your UIC's	166	61
PUBLICATIONS DISTRIBUTION	168	65

R

	PS	Page
RADIACMETER		
IM-174/PD		
FSN for O-ring	169	54
Lock plate removal	167	47
RADAR SET		
AN/MPQ-4A		
FSN for fuse in HO-264 dehydrator	169	65
General Maintenance	164	44
AN/MPQ-29--General Maintenance	169	44
AN/PPS-4--CX-4935/U Cable data	166	11
RADIO RECEIVERS		
AN/GRR-5--Correct J103 receptacle		
connector is in -35P	169	57
R-390--FSN for knob screw	167	47
RADIO SETS		
AN/GRC-19		
Mount clamp not in system	167	47
Remove rounding strap	169	57
AN/GRC-46--Use fuel filter bowl	169	53
AN/PRC-25		
General PM	166	2
Protect volume knob stop	168	38
AN/SRC-32--Manual available	166	65
AN/TRC-24		
Channel Lock	166	6
Use Puller for tube removal	166	7

	PS	Page
RADIO SETS (Cont'd)		
AN/URC-4--General PM	168	37
AN/URC-10--Maintenance tips	166	12
AN/VRC-12 Series		
New fuse for PP-2953/U power supply	166	65
PM Pointers	165	2
RT-70--Lamp screw insulator cautions	168	39
RECEIVER-TRANSMITTER		
RT-246, -524--Touchup painting caution	169	53
RECOIL OIL		
Enter additions on DA Form 2408-2, not on 2408-3.	167	65
REPAIR PARTS		
Return Reparables	165	1
RIFLE, M14, 7.62-MM		
Butt stowage--Lube case goes in last	167	7
Cock before putting safety on	167	8
Firing blanks without attachment--Close gas cylinder valve	167	7
Gas Cylinder Plug		
File oversize hex ends	169	21
Use palm and combo wrench to loosen it	169	21
RIFLE, M16 and M16E1, 5.56-MM		
Cleaning tools--Tips on use	166	56
More PM tips from the front	167	2
RIFLE, RECOILLESS, 106-MM		
Movement--Always use 3 men to load, unload or "wheelbarrow" it.	169	18

S

SAFETY		
Life Vest Cartridge List	168	59
SEMI-TRAILER		
Landing gear MWO for set No. 4 electrical repair shop equipment	166	65
SMALL ARMS		
Cleaners, lubes and preservatives--Chart	169	22
SPARK PLUGS		
For Mark I, II, & III--1-1/2 & 3 hp Mil Std Engines	164	13
SURVIVAL		
FSN's for cartridges	164	28
SUPPLY		
"Operation Boomerang"	169	64

	PS	Page
SUPPLY (CONT'D)		
Return Reparables	165	1
Signing Hand Receipts	165	60
Totaling up PLL demands	166	60
UIC in DA Form 2765-series	166	61
Unit of Issue	165	58
SUPPLY PROCEDURES		
Publications sources for organizational supply man	167	24
SWITCHBOARD		
SB-86/P cord and operator pack PM	167	46

T

TANK, M48, M48A1, M48A2		
M8A2 Gas particulate filter unit--Remove when cleaning	168	63
TANK, M48A3		
Close periscope stowage doors	169	14
Generator Boot Care	166	20
TANK, M60		
Ammo rack handle care	166	21
Be Your Own Inspector (Part 2)	164	52
Close periscope stowage doors	169	14
Generator Boot Care	166	20
Info on oil cooler lines	169	11
Keep M19 cupola mount screws tight	169	10
Shifting pintle lube fitting	167	44
Turret Seal Care	166	20
TANK, M60A1		
Ammo rack handle care	166	21
Be Your Own Inspector (Part 2)	164	52
Brake Cylinder FSN's	164	64
Generator Boot Care	166	20
Info on oil cooler lines	169	11
Keep M19 cupola mount screws tight	169	10
Oil pressure gage fix	169	12
Tech Bulletin Lube Listings	164	65
Turret Seal Care	166	20
TARPAULINS		
Wedge hook for tying down	168	45

	PS	Page
TELEPHONE REPEATER		
AN/TCC-11--Keep out moisture with O-Ring	167	48
TELEPHONE-TELEGRAPH TERMINAL		
AN/MCC-6--Guard against over power	168	40
TELETYPEWRITER SETS		
Bias adjustment	168	65
Bias current adjustment	166	9
Don't fiddle with governor	168	41
TT-4( )/TG, TT-76/GGC		
Handle governor worm gently	168	41
TENTS		
Small General Purpose		
Waterproofing stops seam leaks	166	64
TEST SET		
PM tips on equipment	169	50
TIRE REPAIR KIT (Tubeless Tires)--Use	168	60
TOOLS		
Hand		
Care and maintenance (Continuity)	168	29
Sets and Kits		
Generators & Air compressors, removed from	164	37
Signal		
TE-16 tool equipment--Tape info given	166	10
TK-25/GF replaced by LS-52	168	38
TK-100, -105 for printed circuits	166	10
TORQUE		
General principles of and formula for applying	168	46
TRAILERS		
Air brake hose saver	167	39
TRAILER NUMBERING (See VEHICLES GENERAL)		
TRAILER, 1/4-TON, M416		
Lunette turns easier after EIR fix	164	65
TRAILER, 1-1/2-TON, G754 SERIES		
Air line filter, brake system--Drain condensation	165	57
TRAILER, 1-1/2-TON, M106, M106A1, M107, M107A1		
Cleaning, refinishing tank interior	165	57
TRAILER, SEMI, 12-TON, M127		
Stakes--FSN's for parts--How to install	164	19
TRAILER, SEMI, 12-Ton, M127A1C		
Splash Guards, rubber--Available in supply	164	65
TRAILER, SEMI, 12-TON, M127A1C, M127A2C		
Wheel Studs--Right and left	165	65
TRAILER, WATER TANK		
Cleaning, refinishing interior	165	57

	PS	Page
TROUBLESHOOTING		
Radiator Inlet Hose FSN	165	56
Registration and serial numbers identical	165	65
Speedometer--New shaft assembly	164	21
Turn Signal System	165	55
Turn stop lock nut adjustment	164	21
TRUCK, 1/4-TON, M38A1		
Steering--New bellcrank design	165	56
TRUCK, 1/4-TON, M151		
Carburetor, Zenith, repair kit	167	65
Exhaust manifold leak	169	4
U-Joint lubing--Special adapter	168	42
TRUCK, 1/4-TON, M151A1		
Registration and serial numbers identical	165	65
TRUCK, 3/4-TON, G741 SERIES		
Brake pedal free travel	169	7
TRUCK, 2-1/2 TON G742 SERIES		
Engine (multifuel)		
Mounts Loose--Add washer	165	55
Precautions against accidental starting	165	51
Master cylinder plug--Baffle type	165	54
M35A2 Power Take-off Lever--Proper position of data plate	165	52
Personnel heaters for Vans	166	62
Ring Mount, M49 series--Repair Parts	164	18
TRUCK, 2 1/2-TON, G749 SERIES		
Brake bleeder valve, hydraulic line positions	167	40
Ring Mount, M49 series--Repair parts	164	18
TRUCK, FUEL-CARRYING		
Tire chains--Authorization	169	6
TRUCK, MULTIFUEL, 2-1/2-TON		
Clutch control rod, too short	167	38
Indicator, air cleaner	168	45
Oil filter element, parts kit	167	65
TRUCK, TANK 2-1/2-TON M49C		
Grounding and bonding	168	44
Tire chains--Authorization	169	6
TRUCK, 5-TON, G744 SERIES		
Diesel and Multifuel		
Air cleaner--Turn nozzle in	165	53
Engine--Precautions against accidental starting	165	51
Starter button operation	169	8
Fender mounting bolts, spring loaded--Tightening	165	52
Ring Mount, M49 series--Repair parts	164	18

	PS	Page
TRUCK, 5-TON, M51		
Fuel Tanks--Protection	169	8
TRUCK, GENERAL, TACTICAL		
Engine, MWO Applied--How to tell	167	40
Generator, spacer-MWO	169	4
Oil, engine--Change for winter	168	42
Starting and idling--Cold weather	169	2
Turn signal distribution box gasket	169	5
TRUCK, MULTIFUEL ENGINE		
Starter button--Operation	169	8
TRUCK, WRECKER, 5-TON, M543		
Boom--Leaking seals	169	9
Brake lock, electric--When to use	168	43

V

VEHICLE, ENGINEER, COMBAT, M728		
Oil pressure gage fix	169	12
VEHICLES, GENERAL		
Aviation Work Platform--Field use	165	37
Numbering sequence	166	23
VEHICLES, TACTICAL, GENERAL		
Battery cable-to-clamp connection	166	22
Engine, MWO Applied--How to tell	167	40
Fill Tank Only to Full Mark	164	18
Generator--Installing pulley and nut	164	14
Generator, spacer-MWO	169	4
Oil, Engine--Change for winter	168	42
Painting lifting shackles	166	23
Turn signal distribution box gasket	169	5
Turn Signal System--Troubleshooting	165	55
Winterizing fuel system	168	59
VEHICLE, TRACK		
Starting and idling--Cold weather	169	2

W

WARRANTY
Commercial-Type Items 168 64
WATER STERILIZING BAG
Faucet FSN 167 65
WIRE EQUIPMENT
TL-600/U Tape--FSN for Arctic use 169 54

GPO : 1967 O - 245-845

SEND YOUR EIR
NATIONAL MAINTENANCE POINT
OVER...
AND OVER...
AND OVER AGAIN
WHEN YOU HAVE REPEATED EQUIPMENT TROUBLES
BUT KEEP AN EYE ON THE EIR DIGESTS! YOU MAY SPOT THE FIX FOR YOUR SPECIFIC PIECE OF EQUIPMENT.